



## LTE ANTENNA

Antenna GSM/UMTS/LTE FLAT  
Stick 90°/180°, 698-2700 MHz,  
3 dBi, SMA(m)

AO-ALTE-FSMAK

SECTRON company offers a wide portfolio of GSM/UMTS/LTE antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.



### BENEFITS


- Easy installation
- No cable required
- Adjustable angle



## FEATURES

AO-ALTE-FSMAK

Technology	GSM/UMTS/LTE
Frequency bands	700/800/900/1800/1900/2100/2300/2400/2500/2600/2700 MHz
Bandwidth	-
Gain	3 dBi
VSWR	<3:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	90°: 178 x 38.3 x 10; 180°: 201 x 20 x 10 mm
Weight	23 g
Operating temperature	-10 to + 50 °C
Execution	External
Method of attachment	Screw
Cable type	-
The cable length	-
Connector type	SMA(m)

## DRAWING





s

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12  
 709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ  
 Tel.: +420 556 621 021