

# WLAN/BLUETOOTH ANTENNA

Antenna 0 dBi build MCX(m) 90°

AW-A24G-2M040

SECTRON company offers a wide portfolio of WLAN/Bluetoothantennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




#### **BENEFITS**

- Low VSWR
- Minimalistic dimension
- Flexible

FEATURES AW-A24G-2M040

Technology	WLAN/Bluetooth
Frequency bands	2.4 GHz
Bandwidth	-
Gain	0 dBi
VSWR	<1.2:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	1 W
Power voltage	-
Dimensions	8.6 x 5 x 90 mm
Weight	1.34 g
Operating temperature	-30 to +85 °C
Execution	Internal
Method of attachment	Connector mount
Cable type	RF 1.37
The cable length	48 mm
Connector type	MCX(m) 90°

# DRAWING




UNIT: mm

VARIANTS AW-A24G-2M040

## VSWR AW-A24G-2M040

#### **VSWR**



Frequency(2000 - 3000 MHz)

Resolution: 521 Cal: ON IIM: OFF Keysight

SN: CN0132000230

### **VARIANTS**

Date: 2020/11/13

Time: 09:26

Different connector variants or cable lengths are available on request.

### **CONTACTS**

SECTRON s.r.o. Josefa Šavla 1271/12 709 00 Ostrava 9, Czech Republic WWW.SECTRON.CZ Tel.: +420 556 621 020