



## GSM/UTMS/LTE ANTENNA

Antenna LTE Flexible 20 x 80 mm,  
Cable OD 1.37 mm, L = 40 cm, MMCX(m)

AO-ALTE-FPC002C400

SECTRON company offers a wide portfolio of GSM/UTMS/LTE antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.



### BENEFITS


- Easy installation
- Flexible
- Low VSWR

## FEATURES

AO-ALTE-FPC002C400

Technology	GSM/UMTS/LTE
Frequency bands	700/800/900/1700/1800/1900/2100/2600 MHz
Bandwidth	-
Gain	0 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	20 x 80 x 0.1 mm
Weight	2.62 g
Operating temperature	-20 to +80 °C
Execution	Internal
Method of attachment	Adhesive
Cable type	Hirose 088
The cable length	0.4 m
Connector type	MMCX(m)

## DRAWING



UNIT: mm

Different connector variants or cable lengths are available on request.