



LTE ANTENNA

Antenna LTE Adhesive 017L,
2 dBi, SMA(m), RG174/3m

AO-ALTE-G017LS

SECTRON company offers a wide portfolio of LTE antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


BENEFITS

- Low VSWR
- Easy installation
- High frequency range




Technology	GSM/UMTS/LTE
Frequency bands	800/900/1800/1900/2100/2600 MHz
Bandwidth	-
Gain	2 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H-360°, V-30°
Polarization	Vertical
Maximum input power	10 W
Power voltage	-
Dimensions	115.6 x 21.7 x 5.8 mm
Weight	53.37 g
Operating temperature	-40 to +85 °C
Execution	External
Method of attachment	Adhesive
Cable type	RG174 / U
The cable length	3 m
Connector type	SMA(m)

DRAWING



Unit: mm



ALL VARIANTS

AO-ALTE-G017LS

Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
tel.: +420 556 621 021