

dem GLONASS & Bluetooth RFID & G A PLTE & GSM Wi-Fi Z Antenna lot Ante etooth RFID & RF cables GSM Antenna lot & GPS Router & M GSM Wi-Fi & GPS Router & M Antenna lot & GLONASS UMTS & Oden Bluetooth M2M O LTE & Rout

WIFI ANTENNA

Antenna WiFi Stick 90°/180° 402, 3 dBi, SMA-RP(f)

AW-A24G-W402SRP

SECTRON company offers a wide portfolio WIFI antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees compatible connection between an antenna and all antenna adaptors produced by SECTRON.





BENEFITS

- Low VSWR
- No cable required
- Adjustable angle

| Technology | WIFI |
|-----------------------|--|
| Frequency bands | 2.4 MHz |
| Bandwidth | - |
| Gain | 3 dBi |
| VSWR | <2.0:1 |
| Impedance | 50 Oh |
| Directivity | Omnidirectional |
| Beam angle | H 360° V 30° |
| Polarization | Linear |
| Maximum input power | 10W |
| Power voltage | - |
| Dimensions | 90°: 85.7 x 33.2 x Ø10, 180°: 108.5 x Ø10 mm |
| Weight | 10.13 g |
| Operating temperature | -40 to +85 °C |
| Execution | External |
| Method of attachment | Screw |
| Cable type | - |
| The cable length | - |
| Connector type | SMA-RP(pin f) |

DRAWING





CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12 709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ Tel.: +420 556 621 021